

## PHARMA APPLICATION LEAFLET

#17/04/004

### Acetyl Salicylic Acid (75mg), Direct Compression

Page 1/4

#### Abstract

Acetyl salicylic acid is also known as “Aspirin”. It is non-steroidal anti-inflammatory drug (NSAID). It is a medication used to treat pain, fever or inflammation. It is used long-term to prevent heart attack, ischaemic strokes and blood clots. It is also useful in headache, muscles and joint aches. It has been used to treat rheumatoid arthritis, rheumatic fever

and mild infection. Aspirin is available in market with different doses like 75mg, 150mg, and 300mg.

We have used HiCel™SMCC 90M to manufacture 75mg aspirin tablets. It is the most favorable for low dosage forms because it gives excellent weight uniformity of tablet. It gave good results in terms of weight uniformity, tablet hardness, percentage friability, disintegration time and dissolution profile.

#### Ingredient composition

Sr.No.	Name of ingredients	mg/tablet	Contribution (%)
1.	Acetyl Salicylic Acid (Aspirin)	75	50
2.	HiCel™SMCC 90M (Silicified Microcrystalline Cellulose)	60	40
3.	Povidone K-30	14.50	9.67
4.	Purified Talc	0.50	0.33
<b>Total</b>		150	100

#### Procedure

HiCel™SMCC 90M was mixed with Povidone K-30 for 5-10 minutes. Then Acetyl Salicylic Acid was added to the previous mixture and blend for 5-10 minutes. After that purified talc was mixed with them and blend the mixture again for 10 minutes. The powder mixture was ready for direct compression.

## PHARMA APPLICATION LEAFLET

#17/04/004

### Acetyl Salicylic Acid (75mg), Direct Compression

Page 2/4

#### Equipment

Sr.No.	Name of equipment	Application	Model/ make
1.	Tablet punching machine	Tablet Manufacturing	10 station, D tooling/ Proton mini press
2.	Weighing Balance	Weighing	MS204S/A01/ Mettler Toledo
3.	Tablet Hardness Tester	Hardness Test	TH 1050 M/ Labindia
4.	Tablet Friability Tester	Friability Test	FT1020 / Labindia
5.	Tablet Disintegration Tester	Disintegration Test	DT 1000 / Labindia
6.	Dissolution Apparatus	Percentage of drug release	DS 8000 / Labindia
7.	UV Spectrophotometer	Absorbance	1800/ Shimadzu

#### Dissolution Test Detail

**Dissolution Medium:** 0.05M acetate buffer, 500 ml.  $37 \pm 2$  °C temperature, at 50 rpm and using with USP dissolution type II apparatus.

Samples withdrawals after 5, 10, 15, 20, 25, 30, 35 and 40 minutes. Samples should be diluted if require and filtered. Check absorbance at  $\lambda = 265$  nm.

## PHARMA APPLICATION LEAFLET

#17/04/004

**Acetyl Salicylic Acid (75mg), Direct Compression** Page 3/4

### Tablet Characteristics

Sr.No.	Name of Parameter	Result
1.	Tablet description	Concave, Round, white color
2.	Tablet weight (n=10)	150mg
3.	Tablet Hardness(n=10)	61.0N
4.	Thickness (n=10)	4.00 mm
5.	Diameter	7.00mm
6.	Friability (n=10)	<1 %
7.	Disintegration time (n=06)	30 Sec
8.	Dissolution time (n=6)	30 min




Fig.1. Weight Uniformity of Acetyl salicylic acid tablet

## PHARMA APPLICATION LEAFLET

#17/04/004

Acetyl Salicylic Acid (75mg), Direct Compression Page 4/4




Fig.2. Dissolution profile of Acetyl salicylic acid tablet

**Disclaimer:** The information provided in this brochure is based on through research and is believed to be completely reliable. Application suggestions are given to assist our customer, but are for guidance only. Circumstances in which our material is used vary and are beyond our control. Therefore, we cannot assume any responsibility for risk liabilities, which may result from the use of this technical, advised.